

CONDENSED CATALOG



SENTROL®



At SENTROL... **THE EXTRA EFFORT IS BUILT IN.**

Ease of installation, high reliability, peace of mind ... the qualities you've come to expect from both our products and service. But at Sentrol, the job doesn't stop there. We put the extra effort in... Like 100% testing of all parts. Product delivery consistently on time. Your logo for a professional image. Custom-manufactured sensors designed to your specifications. A no-risk evaluation program. Flexible credit assistance. Expert factory service. Every day, the extra effort that makes the difference.

Same-Day Shipping

Reputable distributors nationwide stock Sentrol products. And if you can't find it locally, Sentrol can ship your order direct—the same day! Just order before 2:00 p.m. Pacific time (5:00 Eastern). And just ask for overnight delivery.

100% Testing

Our stringent, controlled test procedures ensure long life and trouble-free performance. Whether thousands of sensors or your individual custom sensor, we test each unit by hand.

Applications Assistance

For us, field support is Number 1. We'll answer all your questions... from sensor suitability in a particular job to electronics troubleshooting. We can save you time and money!

Individual Private Labeling


Add professionalism and high visibility with Sentrol private labeling. We'll heat-imprint your name or logo. Another Sentrol service so you look good!

Custom Manufacturing

Need something different to meet a special need? We can make it for you. High-current switches... special gaps... custom leads... and more.

Liberal Credit

We quickly grant a \$500.00 line of credit to qualified customers. When we honor our commitments, the favor is returned. Build a real business relationship—on trust. Get to know Sentrol.



Just pick up the phone, or write us today. 1-800-547-2556.




Sentrol, Inc.


10831 SW Cascade Blvd.

Portland, Oregon 97223


SURFACE MOUNT



1145 SERIES



1032 SERIES



1035 SERIES



1045 SERIES



1045T SERIES



1082 SERIES



1085 SERIES




1085T SERIES



1135T SERIES



1285T SERIES



2500 SERIES




2600T SERIES

SERIES	Closed Loop	Open Loop	S.P.D.T.	Regular Gap	Wide Gap	Size (H x W x D)	Options
1145	1145	1146	1147	3/8"	3/4"	.264" x 1" x .19"	
1032	1032	1033	1034	5/8"	1"	.75" x 1.50" x .25"	H
1035	1035	1036	1037	5/8"	1"	.375" x 1.50" x .25"	H, R
1045	1045	1046	1047	1-1/4"	3"	.60" x 3.90" x .70"	H, L
1045T	1045T	1046T	1047T	1-1/4"	3"	.60" x 3.90" x .70"	H
1082	1082	1083	1084	1"	2"	.56" x 2.56" x .50"	D
1085	1085	1086	1087	5/8"	1-1/2"	.375" x 2.0" x .375"	D, H
1085T	1085T	1086T	1087T	3/4"	1-1/2"	.563" x 2.50" x .50"	H
	1082T	1083T	1084T	1"	2"	.563" x 2.50" x .50"	
1135T	1135T	1136T		5/8"	1-1/8"	.640" x 1.50" x .465"	
1285T	1285T	1286T	1287T	3/4"	1-1/2"	.690" x 2.54" x .545"	H
	1282T	1283T	1284T	1"	2"	.690" x 2.54" x .545"	
2500	2505		2507		3"	1.00" x 3.00" x .50"	A, H, D
2600T	2645T	2646T	2647T	1"		.813" x 5.75" x 1.50"	H
	2642T	2643T	2644T		2-1/2"	.813" x 5.75" x 1.50"	

Colors: Off-White, Mahogany Brown, Grey
 Leads: 1 foot, #22
 Private labeling available

Options: D (DPDT), H (Biased for Higher Security),
 L (Leads - 2 ft. vinyl jacket), R (Resistor)

RECESSED



SERIES	Closed Loop	Open Loop	S.P.D.T.	Regular Gap	Wide Gap	Size (Dia. x L.)	Option
1015	1015	1016	1017	3/8"	3/4"	.250" x 1.13"	
1058	1058			1/2"		.250" x .563"	
1059	1059	1051	1050	7/8"	2"	.250" x 1.125"	
	1055	1052	1053	1/2"	1-1/4"	.250" x 1.125"	
1072	1072	1073	1074	1/2"	1-1/4"	.375" x 1.313"	D, H
1075	1075	1071	1070	1/2"	1-1/4"	.375" x 1.313"	D, H, R
	1065	1066	1067	7/8"	2"	.375" x 1.313"	
1078	1078	1077	1076	1/2"	1"	1.00" x 1.125"	D, G, H
	1078C	1077C	1076C	1/2"	1"	.750" x 1.125"	G, H
1122	1122	1123	1124	1/4"	3/4"	.375" x .750"	
1125	1125	1126	1127	1/4"	3/4"	.375" x .750"	
	1129	1130	1131	1/2"	1"	.375" x .750"	
1172	1172	1173	1174	1/2"	1-1/4"	.375" x 1.30"	H
1175T	1175T	1171T		1/2"	1-1/4"	.500" x 1.87"	
	1165T			1"	2"	.500" x 1.87"	
1178T	1178T	1177T	1176T	1/2"	1-1/2"	.938" x .750"	H
1275	1275	1276	1277	1/2"	1-1/4"	.375" x 1.00"	

Colors: Off White, Mahogany Brown
Leads: 1 foot, #22

Options: D (DPDT), H (Biased for Higher Security),
R (Resistor), G (Grey color)

SPECIAL PURPOSE



1005 SERIES



1018 SERIES




2100 SERIES



2200 SERIES



2700 SERIES



2757 SERIES



2840T/2800T



3000 SERIES



3015 SERIES



3035 SERIES



3040 SERIES



3500T SERIES

SERIES	Closed Loop	Open Loop	S.P.D.T.	Regular Gap	Wide Gap	Size (H x W x D)	Options
1005	1005	1006	1007	N/A	N/A	.641" x 1.969" x .69"	H
1018	1095	1018		1/2"	N/A	.75" Dia. x 1.880"	VAC only
		1019		1/2"	N/A	1.00" Dia. x 2.00"	VAC only
2100	2115		2117	N/A	N/A	.75" Dia. x 3.438"	
2200	2202A		2204	3"	N/A	.375" x 3.50" x 1.50"	A, H
	2205A		2207	3"	N/A	.375" x 3.50" x 1.50"	A, H
2700			2707-A	(3/16" to 5/8")		1.50" x 4.25" x .75"	A, D, H
2757			2757	(0" to 3/8")		.953" x 4.875" x 1.25"	D, T
2800T			2807T	(3/16" to 5/8")		2.00" x 5.75" x 1.50"	T
2840T	2845T	2846T	2847T	1"	2-1/2"	2.00" x 5.75" x 1.50"	H
3000	3005	3006	3007	N/A	N/A	.75" Dia. x 1.75"	
3015	3025T	3026T	3027	N/A	N/A	1.00" x 1.88" x .625"	
3035	3035	3036	3037	N/A	N/A	.75" Dia. x 1.51"	
3040			3040	N/A	N/A	2.90" x 1.77" x .76"	
3500T	3505T	3506T		N/A	N/A	.50" x 2.00" x .50"	

Options: A (Armored cable available), D (DPDT), H (Biased for Higher Security), T (Triple Biased)

GLASSBREAK



SERIES	Closed Loop	Open Loop	S.P.D.T.	Range	Size (H x W x D)	Options
5115	5115			5' radius	1.25" x 1.25" x .450"	C, M, S
5125	5125			Up to 10' radius	1.26" x 1.26" x .55"	C, M, S
5135	5135	5136		Up to 20' radius	1.26" x 1.26" x .68"	B, C, S
5415	5415			Frame	1.25" x 1.68" x .75"	M
5402	5402			Frame	1.25" x 1.68" x .75"	
5705	5705		5715/U.L.	Up to 35' wide	1.80" x 3.18" x 2.25"	S
5740	5740-03/09			Up to 35' wide	1.80" x 3.18" x 2.25"	W
5725	5725			10' x 10'	1.25" x 2.25" x .565"	B, S
	5728			10' x 10'	1.25" x 2.25" x .565"	B, M, S
5741/42	5741-03/09			10' x 10'	1.25" x 2.25" x .565"	B, W
	5742-03/09			10' x 10'	1.25" x 2.25" x .565"	B, M, W
5745	5745-03/09			Up to 35' wide	2.75" x 4.75" x 2.6"	W
5750			5755	Up to 35' wide	2.75" x 4.75" x 1.6"	S

Colors: Off-White, (5705, 5740, 5750 Series — off-white only)

Options: C (Coiled cord available), M (Magnet available), S (Supervised available), W (wireless), B (bracket for framemount)

SPACE PROTECTION





SharpShooter™

6155 SERIES

Passive Infrared Detector

- Smart™ sequence processor... combines bidirectional pulse counting with event verification for double protection against environmentally caused false alarms
- Opaque lenses to filter out visible light... reduce false alarms
- Sealed detector and optics... fewer false alarms from environmental disturbances
- Versatile mounting without brackets, or with the unique swivel bracket for tougher installations
- Setup mirror lets you see what 6155 "sees" ... helps you avoid false alarm sources and quickly adjust unit for best placement (masking kit included)



Ordering Information

- 6155** Closed Loop
6157 S.P.D.T.

Accessories

- 6060** Mirror Sighting Kit
6070 Standard Lens
6071 Long Range Lens
6072 Extra Wide Angle Lens
6073 Curtain Lens
6074 Pet Alley Lens

Lens Ranges:

- Standard Angle 45' x 90°
Pet Alley 35' x 90°
Extra Wide Angle 20' x 140°
Long Range 75' x 6°
Curtain 40' x 6°



Industrial/ Waterproof Passive Infrared Sensor

- Directional Pulse Count
- 1/2" Conduit Entry
- Dual Tamper
- Walk-Test LED
- 40' Wide Angle Coverage
- Cold Temperature/Remote Test Options Available
- **6145** Closed Loop
- **6147** S.P.D.T.



Dual PIR/ Ultrasonic

- Cross check requires both detectors to alarm
- Dual Tamper
- Walk Test LED
- 33' Coverage Pattern
- **6305** Closed Loop
- **6305OR** Higher Security — Alarm From Either Detector

SENTROL[®].INC.USA

10831 SW Cascade Blvd.
Portland, Oregon 97223

503-620-8540

U.S.A. Toll Free: **1-800-547-2556**

Alaska/Hawaii: **1-503-620-8540**

Canadian Toll Free: **1-800-253-5600**

TWX: 910-458-8824

FAX 503/684-9230